



[Back](#)

Potassium and Your CKD Diet

What is potassium and why is it important to you?

Potassium is a mineral found in many of the foods you eat. It plays a role in keeping your heartbeat regular and your muscles working right. It is the job of healthy kidneys to keep the right amount of potassium in your body. However, when your kidneys are not healthy, you often need to limit certain foods that can increase the potassium in your blood to a dangerous level. You may feel some weakness, numbness and tingling if your potassium is at a high level. **If your potassium becomes too high, it can cause an irregular heartbeat or a heart attack.**

What is a safe level of potassium in my blood?

Ask your doctor or dietitian about your monthly blood potassium level and enter it here:

If it is 3.5-5.0.....You are in the **SAFE** zone

If it is 5.1-6.0.....You are in the **CAUTION** zone

If it is higher than 6.0.....You are in the **DANGER** zone

How can I keep my potassium level from getting too high?

- You should limit foods that are high in potassium. Your renal dietitian will help you plan your diet so you are getting the right amount of potassium.
- Eat a variety of foods but in moderation.
- If you want to include some high potassium vegetable in your diet, leach them before using. Leaching is a process by which some potassium can be pulled out of the vegetable. Instructions for leaching selected high potassium vegetables can be found at the end of this fact sheet. Check with your dietitian on the amount of leached high potassium vegetables that can be safely included in your diet.
- Do not drink or use the liquid from canned fruits and vegetables, or the juices from cooked meat.
- Remember that almost all foods have some potassium. The size of the serving is very important. A large amount of a low potassium food can turn into a high- potassium food.

- If you are on dialysis, be sure to get all the treatment or exchanges prescribed to you.

What foods are high in potassium (greater than 200 milligrams per portion)?

The following table lists foods that are high in potassium. The portion size is ½ cup unless otherwise stated. **Please be sure to check portion sizes.** While all the foods on this list are high in potassium, some are higher than others.

High-Potassium Foods

Fruits	Vegetables	Other Foods
Apricot , raw (2 medium) dried (5 halves)	Acorn Squash Artichoke	Bran/Bran products
Avocado (¼ whole)	Bamboo Shoots	Chocolate (1.5-2 ounces)
Banana (½ whole)	Baked Beans	Granola
Cantaloupe	Butternut Squash	Milk, all types (1 cup)
Dates (5 whole)	Refried Beans	Molasses (1 Tablespoon)
Dried fruits	Beets, fresh then boiled	Nutritional Supplements: Use only under the direction of your doctor or dietitian. Nuts/seeds
Figs, dried	Black Beans	
Grapefruit Juice	Broccoli, cooked	
Honeydew	Brussels Sprouts	Nuts and Seeds (1 ounce)
Kiwi (1 medium)	Chinese Cabbage	Peanut Butter (2 tbs.)
Mango(1 medium)	Carrots, raw	Salt Substitutes/Lite Salt
Nectarine(1 medium)	Dried Beans and Peas	Salt Free Broth
Orange(1 medium)	Greens, except Kale	Snuff/Chewing Tobacco
Orange Juice	Hubbard Squash	Yogurt
Papaya (½ whole)	Kohlrabi	
Pomegranate (1 whole)	Lentils	
Pomegranate Juice	Legumes	
Prunes	Mushrooms, canned	
Prune Juice	Parsnips	

Raisins	Potatoes, white and sweet
	Pumpkin
	Rutabagas
	Spinach, cooked
	Tomatoes/Tomato products
	Vegetable Juices

What foods are low in potassium?

The following table list foods which are low in potassium. **A portion is ½ cup** unless otherwise noted. **Eating more than 1 portion can make a lower potassium food into a higher potassium food.**

Low-Potassium Foods		
Fruits	Vegetables	Other Foods
Apple (1 medium)	Alfalfa sprouts	Rice
Apple Juice	Asparagus (6 spears)	Noodles
Applesauce	Beans, green or wax	Pasta
Apricots, canned in juice	Cabbage, green and red Carrots, cooked	Bread and bread products: (Not Whole Grains)
Blackberries	Cauliflower	Cake: angel, yellow
Blueberries	Celery (1 stalk)	Coffee: limit to 8 ounces
Cherries	Corn, fresh (½ ear) frozen (½ cup)	Pies without chocolate or high potassium fruit
Cranberries	Cucumber	Cookies without nuts or chocolate
Fruit Cocktail	Eggplant	Tea: limit to 16 ounces
Grapes	Cucumber	
Grape Juice	Eggplant	
Grapefruit (½ whole)	Kale	
Mandarin Oranges	Lettuce	

Peaches, fresh (1 small) canned (1/2 cup)	Mixed Vegetables
Pears, fresh (1 small) canned (1/2 cup)	Mushrooms, fresh
Pineapple	Okra
Pineapple Juice	Onions
Plums (1 whole)	Parsley
Raspberries	Peas, green Peppers
Strawberries	Radish
Tangerine (1 whole)	Rhubarb
Watermelon (limit to 1 cup)	Water Chestnuts, canned
	Watercress
	Yellow Squash
	Zucchini Squash

How do I get some of the potassium out of my favorite high-potassium vegetables ?

The process of leaching will help pull potassium out of some high-potassium vegetables. It is important to remember that leaching will not pull all of the potassium out of the vegetable. You must still limit the amount of leached high-potassium vegetables you eat. Ask your dietitian about the amount of leached vegetables that you can safely have in your diet.

How to leach vegetables.

For Potatoes, Sweet Potatoes, Carrots, Beets, and Rutabagas:

1. Peel and place the vegetable in cold water so they won't darken.
2. Slice vegetable 1/8 inch thick.
3. Rinse in warm water for a few seconds.
4. Soak for a minimum of two hours in warm water. Use ten times the amount of water to the amount of vegetables. If soaking longer, change the water every four hours.
5. Rinse under warm water again for a few seconds.
6. Cook vegetable with five times the amount of water to the amount of vegetable.

For Squash, Mushrooms, Cauliflower, and Frozen Greens:

1. Allow frozen vegetable to thaw to room temperature and drain.
2. Rinse fresh or frozen vegetables in warm water for a few seconds.
3. Soak for a minimum of two hours in warm water. Use ten times the amount of water to the amount of vegetables. If soaking longer, change the water every four hours.
4. Rinse under warm water again for a few seconds.
5. Cook the usual way, but with five times the amount of water to the amount of vegetable.

References:

Bowes & Church Food Values of Portions Commonly Used, 17th Ed., Pennington, JA, Lippincott, 1998.
Diet Guide for Patients with Kidney Disease, Renal Interest Group-Kansas City Dietetic Association, 1990.

More than 20 million Americans—one in nine adults—have chronic kidney disease, and most don't even know it. More than 20 million others are at increased risk. The National Kidney Foundation, a major voluntary health organization, seeks to prevent kidney and urinary tract diseases, improve the health and well-being of individuals and families affected by these diseases, and increase the availability of all organs for transplantation. Through its 50 affiliates nationwide, the foundation conducts programs in research, professional education, patient and community services, public education and organ donation. The work of the National Kidney Foundation is funded by public donations.

The National Kidney Foundation would like to thank the
Council on Renal Nutrition for the development of this fact sheet.

See also in this A-Z guide:

- [Nutrition and Hemodialysis](#)
- [Nutrition and Chronic Kidney Disease](#)
- [Nutrition and Peritoneal Dialysis](#)
- [Nutrition and Transplantation](#)

All health information in this A-Z Guide has been approved for medical accuracy by the Scientific Advisory Board of the National Kidney Foundation. This information was current as of the date listed at the top of the page. [Our Scientific Advisory Board members.](#)

If you would like to become a volunteer and find out more about what's happening where you live.

If you would like more information, please call 1-800-622-9010 or write us at the National Kidney Foundation, 30 East 33rd Street, New York, NY 10016.

©2007 National Kidney Foundation. All rights reserved. This material does not constitute medical advice. It is intended for informational purposes only. No one associated with the National Kidney

Foundation will answer medical questions via e-mail. Please consult a physician for specific treatment recommendations.